

# VEC

Electronics Corporation

## *Professional Dictation & Transcription Accessories*



**Foot Controls**



**Recording  
Adapters**



**Microphones**



**Headsets**

- **Foot Controls**
- **Microphones**
- **Telephone Record Adapters**
- **Micro Cassette & Eraser**
- **Power Supplies**
- **Headsets & Headset Accessories**

***2019 CATALOG***

# Index

## ***Infinity Foot Controls***

Digital Foot Controls .....	Pg.2
Analog Foot Controls.....	Pg.3

## ***Headsets***

Specialty Computer Headsets .....	Pg.4
Transcription Headsets.....	Pg.5
Single Ear Headsets .....	Pg.6
Multimedia Headsets.....	Pg.7
Ear Cushions .....	Pg.7

## ***Microphones***

Gooseneck Microphones .....	Pg.8
Conference Microphones.....	Pg.9
Tie-Clip Microphones .....	Pg.10

## ***Telephone Recorder Adapters***

Cellular Phone Recording Adapters.....	Pg.10
Telephone Record Adapters .....	Pg.11 - 12

## ***Accessories***

Power Supplies .....	Pg.12
Micro Cassette & Eraser .....	Pg.13
Plug Adapters.....	Pg.13
Headset Tubes, Cords, Buttons.....	Pg.14



# USB Foot Controls

## IN-USB-2

Digital Foot Control with USB Computer plug.



## INS-USB

Single foot control with a USB plug.



## IND-USB

Double foot control with a USB plug.

INS-USB  
INS-USB-WP  
\* Waterproof

IND-USB  
IND-USB-WP  
\* Waterproof

Whether you have analog or digital applications both single and double units are available with customized plugs to fit your every need.

# Analog Foot Controls

## **IN-19**

8 pin mini  
DIN plug



Compatible with most  
Olympus models.

## **IN-20**

8 pin mini  
DIN plug



Compatible with  
Panasonic models  
RR-830, RR-930, RR-980.

## **IN-25**

8 pin mini  
DIN plug



Compatible with  
Sony M-2000 and  
M-2020 models.

## **IN-75**

12 pin  
Sony plug



Compatible with  
Sony 75 and 85 models.

## **IN-110**

6 pin DIN  
plug



Compatible with  
Philips/Norelco models  
using a 6 pin DIN plug.

## **IN-210**

3.5mm  
Stereo plug



Compatible with  
Philips/Norelco 700 series  
models and Philips Digital  
Transcriber model 9750

## **IN-557**

14 pin plug



Compatible to  
Dictaphone models  
using a 14 pin plug.

## **IN-585**

RJ11 modular  
plug



Compatible to Dictaphone  
models ending in 40's  
& 50's using a modular  
telephone plug.

## **IN-765**

RJ11 modular  
plug



Compatible with  
Transnet. \*Modular to  
USB adaptor required.

## **IN-53, IN-54 IN-92**

6 pin DIN  
plug



Compatible with  
Sanyo TRC Models

## **IN-DB9**

9 pin plug



Computer plug with  
9 pin serial port.

## **IN-LAX-150**

7 pin plug



Compatible with  
Lanier LX-055-7



**Customized Foot Controls Available**  
Call For Details 201-947-6462

# Computer Headsets

## SP-300BT



### Wireless Bluetooth Headset

- Extended Bluetooth Range. Access devices up to 50 ft away.
- Listen Continuously for up to 5 hours per charge.
- Built in Boomless Microphone
- Digital Volume Control right on your Headset.
- Lightweight under 1 oz.
- Bluetooth 4.0 USB Adapter Included

## SP-USB



### A true plug and play performer!

- True digital volume control.
- LED computer connection indicator.
- Direct-Connect 2.0 USB plug.
- 10 ft. cord for flexibility at the transcriber's station.
- Lightweight personal headset with a pouch for personal storage.

## SP-EB USB



### Spectra Ear Bud USB Headset

- Crystal Clear Digital Audio
- Direct-Connect 2.0 USB plug
- Digital volume control
- LED indicator
- Noise reducing Ear Buds
- Small, Medium and Large Tips included

## SP-PC



- 10 ft. cord for flexibility at the transcriber's station
- 3.5mm right-angle stereo plug for computer use.
- Lightweight personal headset with a pouch for personal storage.

## SP-VC 5



- Deluxe twin speaker headset.
- Volume control and stereo/mono switch.
- 5 ft. cord with a 3.5mm right-angle stereo plug.
- Lightweight personal headset with a pouch for personal storage.

## FLX-10



- Deluxe twin speaker headset.
- Volume control and stereo/mono switch.
- 5 ft. cord with a 3.5mm
- Includes a HE-2. (5 ft. stereo cord extender)
- Lightweight personal headset with a pouch for personal storage.

# Transcription Headsets

<p><b>SP-RA</b></p>  <p>Twin speaker mono headset with a 5ft. cord and a 3.5mm plug.</p>	<p><b>AL-60</b></p>  <p>Aluminum hinged-stetho headset with 5ft. cord and 3.5mm right angle plug.</p>	<p><b>SH-55</b></p>  <p>Wishbone, Y-shaped headset with 5ft. cord and 3.5mm right angle plug.</p>
<p>SP-ST SP-L SP-DP SP-N SP-USB</p>	<p>AL-60 L AL-60 DP AL-60 N AL-60 USB</p>	<p>SH-55 L SH-55 DP SH-55 N SH-55 USB</p>

<p><b>SH-50</b></p>  <p>Hinged-stetho headset with 5ft. cord and 3.5mm right angle plug.</p>	<p><b>DH-50</b></p>  <p>Underchin U-Bow headset with 5ft. cord and 3.5mm right angle plug.</p>	<p><b>ULT-200 B (P)</b></p>  <p>Twin speaker headset with 5 ft. cord and 3.5mm right angle plug storage pouch.</p>
<p>SH-50 L SH-50 DP SH-50 N SH-50 USB</p>	<p>DH-50 ST DH-50 L DH-50 DP DH-50 N</p>	<p></p>

# Headset Plug Key

**RA**



5 ft. cord with 3.5mm right angle plug.

**ST**



5 ft. cord with 3.5mm straight plug.

**L**



10 ft. cord with 3.5mm straight plug.

**DP**



5 ft. cord with a two prong plug compatible with Dictaphone models.

**N**



5 ft. cord and round DIN plug compatible with Philips/Norelco models.

**USB**



10 ft. cord digital volume control with a USB plug.

# Single Ear Headsets

**CL-40**



Single-Ear Clamshell Style with a right-angle plug.

**SE-USB**



Single-Ear headset with digital volume control on a 10ft. cord with USB plug.

**Earloop**



Flat black plastic earloop for use with any combination of SB speaker buttons and HC Cords found on page 14.

# Multimedia Headsets

## HP-USB



10 ft. cord plug & play multimedia headset with a digital volume control and a flexible boom microphone.

# Ear Cushions

## SP-EC



Ear cushions for Spectra headsets. (50 pairs per bag)

## DH-50 EC



Ear cushions for DH-50 and SH-55 headsets. (50 pairs per bag)

## ULTIMA EC



Ear cushions for Ultima headsets. (50 pairs per bag)

## HP-EC Foam



Pair of foam ear cushions for the HP-series headsets.

## HP-EC LTH



Pair of leatherette ear cushions for the HP-series headsets.

## Ear Tips



Plastic Ear tips for SH-50 models. (each)



# Gooseneck Microphones

## GN-USB-2



Professional 18 inch uni-directional noise canceling gooseneck microphone with illuminated on/off switch and 10 ft. cord and **USB** plug.

## GN-3



Professional 18 inch uni-directional noise canceling microphone with 10 ft. cord and 3.5mm **stereo** plug.  
*(Recommended for PC sound card recording applications)*

## GN-1



Professional 18 inch uni-directional noise canceling microphone with 10 ft. cord and 3.5mm **mono** plug.

## GN-WS

Windscreen for the Gooseneck Microphone.

## GN-XGV



Multi-purpose 18 inch uni-directional noise canceling gooseneck microphone designed for applications such as courtrooms, council chambers, conference rooms, meetings, broadcasting, lecterns, pulpits, paging and many more where Audio Mixers are essential.

## GN-B-XLR



Standard weighted base model.

## GN-BWS-XLR



Weighted base model with an illuminated "Push to Mute" switch.

# Conference Microphones

## CM-1000



**3.5mm  
Stereo plug  
with 8' cord**

Omni-directional conference microphone with 8ft. cord and a 3.5mm stereo plug.

Boundary layer low profile design, with daisy chain capability and 360 degree pickup for exceptional sound quality and maximum coverage.

## CM-1000 USB



USB Omni-directional conference microphone with a 10 Ft. cord and USB Plug.

On board USB sound card delivers high quality digital stereo recording. Daisy chain capability and 360 degree pickup for maximum coverage.

## CM-Zip Pouch



Padded four pocket pouch. Designed to hold CM-1000USB and CM-1000 microphones.

## CM-909



Omni-directional conference microphone with 10 ft. cord and 3.5mm plug for powered jacks.

## CM-909 S



Omni-directional conference microphone with 10 ft. cord (with battery). Available with a 2.5mm or a 3.5mm plug.

# Tie-Clip Microphones

## TCM 50



Tie-clip microphone for powered jacks with 2.5mm or 3.5mm plug on a 4 ft. cord.

TCM-50 A (2.5)  
TCM-50 B (3.5)

## TCM 100



Tie-clip microphone with 2.5mm or 3.5mm plug on a 6 ft. cord with on/off switch. (Includes battery)

TCM-100 A (2.5)  
TCM-100 B (3.5)

# Smart Phone Record Adapter

## CC-40

Easy to store, easy to carry, easy to connect!



3.5mm three band plug is a quick-connect to all smart phones



Smart Phone hands free headset/record adapter. Equipped with one 3.5mm four position/three band Smart Phone plug and one 3.5mm recorder plug.

# Telephone Record Adapters

## LRX-37USB



USB Telephone LINE Record Adapter

- USB Audio Quality
- Automatic Gain Control
- Records all Telephones connected to the same analog phone lines
- Detachable USB A~B 6 ft. cable (included)
- Multi-color LED Mode Indicator
- CE /FCC Approved

## LRX-40USB



USB Telephone HANDSET Record Adapter

- Designed for PC or Mac.
- Digital quality audio.
- Record level adjustment dial.
- Handset selector switch.
- Multi color LED mode indicator.
- Includes 6' USB A-B cable.

## LRX-35



Telephone HANDSET record coupler. Designed for PC sound card recording applications. Hard-wired 10 ft audio output cord with 3.5mm plug.

## Record A Call



Windows® - based Telephone Recording Software. Easily record, store, search and send recorded voice files. Compatible with models: LRX-35, LRX-37C, LRX-40USB and LRX-37 USB.

# Telephone Record Adapters

## TRX-20 2.5 TRX-20 3.5



- Telephone record coupler with 3 ft. cord and 2.5mm or 3.5mm plug.
- Recommended for ANALOG/ DIGITAL recorders With 2.5mm or 3.5mm mic jacks.

## TRX-50



- Telephone record coupler with 6 ft. cord and 3.5mm plug.
  - Provides audible BEEP heard by both parties. Features Beep Volume control and Beep on/off switch.
- \* Includes PA-1, 3.5mm to 2.5mm adapter.*

## LRX-30

Telephone logger patch. Designed for standard wired Handset cords. Hard-wired 7 ft. audio output cord with RU-11 plug



## LRX-30A

LRX-30 with Amplification

## LRX-30AB

LRX-30 with Amplification and Audible BEEP tone.

# Power Supplies

## PS-160

16 volt power supply compatible with Lanier Desktops. Replaces APS-160.

## PS-315

16-volt power supply compatible with Dictaphone Express Writer models 1740's, 1750's, 2740's, S740's and 3750's series.

## PS-980

9-volt power supply compatible with all Sony BM desktop models.

## AC-321

3-volt AC adapter compatible with Olympus DM, DS, L, J and S portable recorders. Also most Sony ICD, M, BM and TCM portable recorders.

# Micro-Cassette & Eraser

## MC-45



45 minute (22.5 minutes on each side)  
Olympus licensed micro cassette.  
Individually wrapped in a clear box.

## ME-20



Mini-Micro cassette eraser with magnets  
on top and bottom.

# Plug Adapters

## PA-1

Adapter converts 3.5mm plug  
down to a 2.5mm plug.

## PA-2

Adapter converts 2.5mm plug  
up to a 3.5mm plug.

## DP-3.5 ADP

Adapter that converts a 3.5mm  
jack to a 2 prong Dictaphone plug.

## PA-3.5Y Mono

Connects two mono  
3.5mm plugs into one  
mono 3.5mm jack.

## PA-3.5Y Stereo

Connects two stereo  
3.5mm plugs into one  
stereo 3.5mm jack.

## PA-3.5YLR

Connects  
two 3.5 mm  
jacks (one  
Left channel and one Right  
channel) into one 3.5mm  
stereo plug.



## PA-3.5Y HM-4

### Headset / Microphone Splitter Adapter

Converts a single  
3.5mm 4-position  
audio jack into two  
separate Headset and Microphone  
jacks. Use to convert Headsets  
and Microphones with 3 position  
plugs to newer Laptops, Tablets  
and Smart Phones.



# Headset Accessories

## Headset Tubes

<b>AL-60 T</b>	Aluminum-hinged stetho-style tube with plastic ear tips.
<b>DH-50 T</b>	Under-chin bow tube with extra ear cushions.
<b>SH-50 T</b>	Hinged stetho-style tube with plastic ear tips.
<b>SH-55 T</b>	Wishbone, Y-shaped tube with ear cushions.

## Headset Cords

<b>HC-RA</b>	5 ft. headset cord with 3.5mm right-angle plug.
<b>HC-ST</b>	5 ft. headset cord with 3.5mm straight plug.
<b>HC-DP</b>	5 ft. headset cord with two prong plug for use with Dictaphone.
<b>HC-N</b>	5 ft. headset cord with round DIN plug for use with Norelco/Philips.
<b>HC-RA 10 ft.</b>	10 ft. headset cord with a right-angle 3.5mm plug.
<b>HC-ST 10 ft.</b>	10 ft. headset cord with a straight 3.5mm plug.

## Headset Speaker Buttons

<b>SB-8 HC-ST</b>	Combination of SB-8 button and HC-ST cord.
<b>SB-100</b>	100 ohm speaker button for Dictaphone headsets using a two prong plug.
<b>SB-1000</b>	1000 ohm speaker button for Philips/Norelco headsets using a round DIN plug.

## Headset Cord Extender

**HE-1**



Mono headset cord extender with 5 ft. cord.

**HE-2**



Stereo headset cord extender with 5 ft. cord.



Electronics Corporation

Computer Compatible Accessories

Headsets

Foot Controls

Telephone Recording Products

Microphones

Cassettes & Cassette Eraser

Power Supplies

Headset Accessories

**WE ARE THE SOURCE FOR  
ALL YOUR DICTATION & TRANSCRIPTION ACCESSORIES**